

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

PPLICATION NO.	FII	LING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION N
09/870,581	. 0	5/30/2001	Koki Uchiyama	CA1073	9236
23493	7590	03/22/2007	• •	EXAMINER	
SUGHRUE	•				
401 Castro Street, Ste 220 Mountain View, CA 94041-2007			ART UNIT	PAPER NUMBER	

DATE MAILED: 03/22/2007

Please find below and/or attached an Office communication concerning this application or proceeding.

Notice of Non-Compliant Amendment (37 CFR 1.121)

Application No.	Applicant(s)	
09/870,581	UCHIYAMA, KOKI	
Examiner	Art Unit	
Miranda Le	2167	

The amendment document filed on <u>29 December 2006</u> is considered non-compliant because it has failed to meet the
requirements of 37 CFR 1.121 or 1.4. In order for the amendment document to be compliant, correction of the following
item(s) is required.
THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT DOCUMENT TO BE NON-COMPLIANT:

The MAILING DATE of this communication appears on the cov	ver sheet with the correspondence address
The amendment document filed on <u>29 December 2006</u> is considered n requirements of 37 CFR 1.121 or 1.4. In order for the amendment docuitem(s) is required.	non-compliant because it has failed to meet the ument to be compliant, correction of the following
THE FOLLOWING MARKED (X) ITEM(S) CAUSE THE AMENDMENT 1. Amendments to the specification: A. Amended paragraph(s) do not include markings. B. New paragraph(s) should not be underlined. C. Other	DOCUMENT TO BE NON-COMPLIANT:
2. Abstract: A. Not presented on a separate sheet. 37 CFR 1.72. B. Other	
 ☐ 3. Amendments to the drawings: ☐ A. The drawings are not properly identified in the top ma "Annotated Sheet" as required by 37 CFR 1.121(d). ☐ B. The practice of submitting proposed drawing corrections showing amended figures, without markings, in comp ☐ C. Other 	on has been eliminated. Replacement drawings
 ✓ 4. Amendments to the claims: ☐ A. A complete listing of all of the claims is not present. ☐ B. The listing of claims does not include the text of all personal of each claim has not been provided with the proper state of each claim cannot be identified. Note: the status number by using one of the following status identifier (Previously presented), (New), (Not entered), (Withday D. The claims of this amendment paper have not been presented). 	atus identifier, and as such, the individual status of every claim must be indicated after its claim rs: (Original), (Currently amended), (Canceled), rawn) and (Withdrawn-currently amended).
5. Other (e.g., the amendment is unsigned or not signed in accent	cordance with 37 CFR 1.4):
For further explanation of the amendment format required by 37 CFR 1	.121, see MPEP § 714.
TIME PERIODS FOR FILING A REPLY TO THIS NOTICE:	
 Applicant is given no new time period if the non-compliant amend filed after allowance. If applicant wishes to resubmit the non-comp entire corrected amendment must be resubmitted. 	
2. Applicant is given one month , or thirty (30) days, whichever is long correction, if the non-compliant amendment is one of the following: (including a submission for a request for continued examination (Reamendment filed within a suspension period under 37 CFR 1.103(a Quayle action. If any of above boxes 1. to 4. are checked, the correspondence of the correspondence of the following:	a preliminary amendment, a non-final amendment CE) under 37 CFR 1.114), a supplemental a) or (c), and an amendment filed in response to a
Extensions of time are available under 37 CFR 1.136(a) only if amendment or an amendment filed in response to a Quayle action	f the non-compliant amendment is a non-final on.
Failure to timely respond to this notice will result in: Abandonment of the application if the non-compliant amend filed in response to a Quayle action; or Non-entry of the amendment if the non-compliant amendment amendment.	nt is a preliminary amendment or supplemental
	Miranda Le W
Legal Instruments Examiner (LIE), if applicable U.S. Patent and Trademark Office	Telephone No. Part of Paper No. 20070316
	or aportio. 20070010



UNITED STATES DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION		ATTORNEY DOCKET NO.	
09/870,584	05/30/2001			CA 1073	
,				EXAMINER	
			U	Œ,M,	
			ART UNIT	PAPER	
			2167	March	
•			DATE MAILED	:	

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Miranda Le whose telephone number is (571) 272-4112. The examiner can normally be reached on Monday through Friday from 8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R. Cottingham can be reached on (571) 272-7079. The fax number to this Art Unit is (571)-273-8300.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 305 3900.Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or (571) 272-1000.

Miranda Le March 16, 2007

PTO-90C (Rev.04-03)